

Design and sustainability

With the user in mind, Canon creates a range of calculators for each and every requirement. Our design is the integration of simplicity, style and functionality.












Categories index

























Customization ·····	P.32-33
Functional Highlights	P.34
Calculator Specifications	P.35 - 43
Package list & Barcode	P.44-45
Glossary, Symbol guide & Canon subsidiaries	P.46-47



Smart Choice & Essential Partner

for Secondary and University Students


F-789SGA


605 functions dual way textbook display

SIZE: $168 \times 80 \times 13.2$ mm (without hard case) / $171 \times 86 \times 17.3$ mm (with hard case) WEIGHT: 88g (body only) / 120g (with hard case)

FEATURES • 19 store and recall memories

- 79 scientific constants and 172 metric conversions
- ♦ Convenient Apps shortcut key to recall useful functions
- Matrix calculation (up to 4x4)
- Equation operation up to quartic and 4 unknowns
- Prime factorization
- Antibacterial keys





Refreshing Mind by Vivid Color

Dot Matrix Scientific Calculator









F-718S series


264 functions dual way textbook display


SIZE: 168 x 80 x 14.5mm (without hard case) / 171 x 86 x 18.8mm (with hard case) WEIGHT: 96g (body only) / 128g (with hard case)

FEATURES • 17 store and recall memories

- High accuracy calculation result: Internal calculation up to 18 digits
- LCM, GCD and quotient remainder calculations
- Table formated data input and edit function for statistics calculation
- · Advance fraction input

F-718SGA-BK F-718SA-WH F-718S-BL F-718SGA-PK











F-715SG series

250 functions 2-line display

SIZE: 165 x 80 x 14mm (without hard case) / 168 x 86.3 x 17.8mm (with hard case) WEIGHT: 89g (body only) / 124g (with hard case)

FEATURES • 17 store and recall memories

- LCM, GCD and quotient remainder calculations
- Undo or copy function for easy input or edition
- · Statistics and trigonometric calculations
- 10 digits mantissa + 2 digits exponent display

F-715SG-BK F-715SG-WHB F-715SG-WHM










Simple Solution to Complex Problems

Standard 2-Line Display Scientific Calculator









F-788SG 488 functions 2-line display

SIZE: 165 x 80 x 14mm (without hard case) / 168 x 86.3 x 17.8mm (with hard case) WEIGHT: 89g (body only) / 124g (with hard case)

FEATURES • 79 scientific constants & 172 metric conversions

- Matrix and vector calculations
- Undo or copy function for easy input or edition
- · Statistics and trigonometric calculations
- Integration and differentiation
- Quick reference card included

Available in

F-788SG-NV F-788SG-BL F-788SG-WHP













F-604

142 functions 1 line display

SIZE: $150 \times 74.5 \times 12$ mm (without hard case) / $152 \times 78 \times 18$ mm (with hard case) WEIGHT: 73g (body only) / 96g (with hard case)

FEATURES • Complex number calculation


- Fraction & trigonometric calculations
- Base-N calculation and conversion
- 10 digits mantissa + 2 digits exponent display
- · Battery power only











F-788dx

497 functions 2-line display

SIZE: 155 x 80 x 14.5mm (without hard case) /

158 x 84 x 18mm (with hard case)

WEIGHT: 100g (body only) / 135g (with hard case)

FEATURES • 20 store and recall memories

- ♦ 79 scientific constants & 170 metric conversions
- Matrix and vector calculations
- Integration and differentiation
- 10 digits mantissa + 2 digits exponent display
- Battery power only












Embraces Stylish Design & Energetic colors









Adds Vitality to Working Life







AS-120V


12-digit mini desktop

SIZE: 145 x 100 x 33.5mm WEIGHT: 108g

FEATURES • Mark up and reverse functions

- · Grand total memory
- · Large upright display

Available in:














REVERSE FUNCTION





Integrates a Swirl of Color

to the Chic Design









LS-270V II

8-digit handheld

SIZE: 102 x 61 x 10mm WEIGHT: 37g

FEATURES • Mark up function

• Large display

Durable plastic keytops












MARK-UP FUNCTION

E.g. Cost \$2000, Profit= 20% of selling price			
Selling price=?			
Operation	Display		
2000 😛 20 MU	(2′500.)		
Profit=?			
Operation	Display		
MU	(500.)		









LS-123T

Available in:

12-digit mini desktop

SIZE: 145 x 104 x 25mm WEIGHT: 119g

FEATURES + Tax calculation

- Grand total memory
- Large display
- Slim body design with trendy colors

GRAND TOTAL

Example			
Calculation	Operation	Display	
30 x 40	30 × 40 =	(GT	1′200.)
+) 50 x 60	50 × 60 =	(^{GT}	3′000.)
4200	GT	(^{GT}	4′200.)
+) 25 x 30	25 X 30 =	(GT	750.)
4950	GT (Recalling memory)	(GT	4′950.)
	GT (Clearing memory)	(4′950.)

Polished ARC Design X User Friendly Functions

The new generation of AS series integrates stylish design concept and user friendly functions, presenting you a lineup with high economical value and perfect for all usage.








14-digit desktop

SIZE: 150 x 142 x 27mm WEIGHT: 153g

FEATURES • Mark up function

- **♦ Double memory**
- Grand total memory





16-digit desktop

SIZE: 209 x 155 x 30mm WEIGHT: 230g

FEATURES • Mark up function

- Grand total memory
- Decimal (+4320F) and rounding selections



DOUBLE MEMORY



Models equipped with Double Memory function enable you to work accurately on complex calculations. With 2 versatile memories, it helps to accumulate or deduct - : results automatically.

E.g. Memory I			
+ 4 3 2 1 0 F / <u>ON</u> CA			
Calculation	Operation	Display	
243 x 12 = 2'916	243 X 12 M±	(^{GT}	2′916.00)
+) 387 x 45 = 17'415	387 X 45 M±	(^{GT}	17′415.00)
20′331	RM (Recalling memory)	(^{GT}	20′331.00)
-) 456 x 32 = 14,592	456 X 32 ME	(^{GT}	14′592.00)
5′739	RM (Recalling memory)	(^{GT}	5′739.00)
	RM (Clearing memory)	(5′739.00)



AS-8 8-digit handheld SIZE: 97 x 60 x 11.4mm WEIGHT: 41g FEATURES • 360°upward folding hard cover • Portable palm size • Battery power only







AS-1200 12-digit semi desktop SIZE: 177 x 119 x 37mm

SIZE: 177 x 119 x 37mm WEIGHT: 152g

8_{digits} +

FEATURES • Mark up and reverse functions

- Grand total memory
- Decimal (+4320F) and rounding selections









AS-2200 12-digit desktop

AS-2400 14-digit desktop

AS-2600 16-digit desktop SIZE: 198 x 140 x 34mm WEIGHT: 212g

FEATURES • Mark up and reverse functions

- Grand total memory
- Decimal (+4320F) and rounding selections
- Adiustable display

12_{digits} **14**_{digits} **16**_{digits} **△ MU RV ← ☆ ☆ ☆**



AS-2200

Practical X Handy Office Tool







LC-210Hi III

8-digit handheld

SIZE: 97 x 60 x 11.4mm WEIGHT: 41g

FEATURES • 360° upward folding hard cover

- Portable palm size
- Battery power only

Available in: LC-210Hi III-OR LC-210Hi III-BL













LS-88Hi III

8-digit mini desktop

SIZE: 143 x 89.5 x 25mm WEIGHT: 90g

FEATURES • Large display

Portable compact size

Available in:

LS-88Hi III LS-88Hi III-BK LS-88

LS-88Hi III-PGR LS-88Hi III-PPP























LS-120Hi III

12-digit mini desktop

SIZE: 140 x 105 x 32mm WEIGHT: 122g

FEATURES • Mark up and reverse functions

- · Grand total memory
- Executive finish metallic topcoating

Available in: LS-120Hi III LS-120Hi III-RD LS-120Hi III-GR LS-120Hi III-BW



TX-1210Hi III

12-digit desktop

SIZE: 176 x 126 x 40mm WEIGHT: 192g

- FEATURES + Tax calculation
 - Mark up and reverse functions
 - Grand total memory
 - Decimal (+4320F) and rounding selections
 - ♦ IT touch keys



WS-1210Hi III

12-digit desktop

SIZE: 198 x 150 x 38mm WEIGHT: 263g

FEATURES + Tax calculation

- Mark up and reverse functions
- Grand total memory
- Decimal (+4320F) and rounding selections
- ◆ Adjustable display
- ♦ IT touch keys



Canon recycled material calculators

Over 55% of our calculator collection is partially made of recycled Canon materials. This supports sustainability and helps to preserve finite natural resources.



Eco The icon indicates that the product is partially friendly manufactured using recycled Canon material.



SIZE: 164 x 105 x 33mm WEIGHT: 152g

FEATURES • Tax calculation

- Grand total memory
- Decimal (+43210F) and rounding selections
- Large upright display
- ◆ Cosmetic metal plate
















WEIGHT: 241g

12-digit desktop

TS-1200TG

Canon

FEATURES • Tax calculation

- Grand total memory
- Decimal (+43210F) and rounding selections
- Large adjustable tilt display
- Executive finish metallic topcoating













:43210E

TAX+

TAX-

GT

Eco friendly



LS-154TG


12-digit handheld



SIZE: 122 x 78 x 14mm (closed) WEIGHT: 92g

FEATURES • Tax calculation

- ♦ Large display
- 360° folding hard cover













KS-1220TG KS-1220TSG BS-1220TG

12-digit desktop

SIZE: 178 x 109 x 16.3mm (KS-1220TG & KS-1220TSG) /

189 x 129 x 16.1mm (BS-1220TG)

WEIGHT: 178g (KS-1220TG & KS-1220TSG) / 212g (BS-1220TG)

- FEATURES Tax calculation
 - Business calculation (KS-1220TSG only)
 - Time calculation (BS-1220TG only)
 - Decimal (+43210F) and rounding selections
 - Large adjustable display
 - Silent key input
 - 3 keys rollover
 - Four different colored function keys for easy identification
 - Executive finish metallic topcoating















TAX CALCULATION




Models featuring convenient tax calculation keys save your time by simplifying complex calculations. Just press the relevant keys to add or subtract predetermined tax rates at a touch.

- Easy storing and quick recall for GST %
- Simple input and operation
- Save calculation steps

Storing Tax Rate		
Rate: 6%		
Operation	Display	
CA SET 6 SET	(^{TAX%}	6.)

Business users			
Easy to calculate the selling p	rice with Tax		
E.g. Price \$2000 without tax			
Calculation	Operation	Display	
Selling price with tax=?	2000 TAX +	(TAX+	2′120.)
Tax=?	TAX +	(TAX	120.)

Recall Tax Rate		
Operation	Display	
CA RECALL	(TAX%	6.)





LS-827

(234567890

LS-1027

LS-82Z

8-digit mini-mini desktop

10-digit mini-mini desktop

LS-102Z

SIZE: 111 x 88 x 32mm WEIGHT: 64g

FEATURES • Large display

· Large plastic key tops

· Portable compact size











LS-101H

10-digit mini desktop

SIZE: 132 x 106 x 31mm WEIGHT: 100g

FEATURES • Large display

· Large plastic key tops

Perform complex calculations quickly and easily with our business calculators and save time. Cost, Sell and Margin keys allow you to calculate profit margins

Calculation

ON 2000 SELL 30 MARGIN - 1400

ON 1500 COST 20 MARGIN - 1875

ON 1500 COST 2000 SELL - 25

automatically without the need of memorizing



BUSINESS CALCULATION

Examples

Cost

\$1500

\$1500

Sell

?

\$2000

\$2000

complicated formulae.

Margin

30%

20%

?







Desktop

Office & Business use



HS-1200TS

12-digit desktop

SIZE: 174 x 123 x 38mm WEIGHT: 170g

FEATURES • Tax and business calculations

- · Grand total memory
- Decimal (+43210F) and rounding selections
- Large display
- Executive finish metallic topcoating









234567890

789 % 4

4 5 6 × ÷

1 2 3











LS-100TS

10-digit mini desktop

SIZE: 135 x 103 x 32mm WEIGHT: 102g

FEATURES • Tax and business calculations

Executive finish - metallic topcoating













LS-1200T

12-digit semi desktop

SIZE: 149 x 96.5 x 12.5mm WEIGHT: 97.5g

FEATURES • Tax calculation

- · Large internal angled display
- Unique design with glossy finish on top











2 3 00 ·

TS-120TS

12-digit semi desktop

SIZE: 168 x 108 x 45mm WEIGHT: 168g

FEATURES • Tax and business calculations

- Decimal (+43210F) and rounding selections
- Large adjustable display
- Executive finish metallic topcoating














SIZE: 140 x 123 x 27.6mm WEIGHT: 123g

FEATURES • Tax calculation

- Mark up function
- Grand total memory
- 200 steps check & correct function












SIZE: 192 x 143 x 33mm WEIGHT: 204g

FEATURES

- Tax calculation
- Mark up function
- Grand total memory
- 200 steps check & correct function
- Auto check function
- Decimal (+43210F) and rounding









CHECK-AND-CORRECT FUNCTION



Our calculators with a check & correct function bring added accuracy and precision to long and complex calculations. You can move forwards or backwards through a calculation up to 100/200 steps and make any corrections that are required instantly. This eliminates the risk of calculation errors.

E.g. Correct "+300" to "-200".			
(500+300-60) x 5			
Operation	Display		
500 + 300 - 60 × 5 =		(05	=3′700.)
Press 2 times		(02 CHECK	+300.)
Correct to "-200"			
Operation	Display		
CORRECT		(02 CORRECT	+300.)
200 CORRECT		(02 CHECK	⁻ 200.)
(500-200-60) x 5			
Operation	Display		
Press 3 times		(05 CHECK	= _{1′200.)}
GOTO			
Operation	Display		
(дото) 5 (дото)		(05 CHECK	= _{1′200.)}



AS-120R

12-digit mini desktop

SIZE: 145 x 100 x 33.5mm

WEIGHT: 108g

FEATURES • 120 steps check and correct function

Auto check function





AS-2200R

12-digit desktop

SIZE: 198 x 140 x 34mm WEIGHT: 204g

FEATURES • 120 steps check and correct function

- Auto check function
- Decimal (+4320F) and rounding selections
- Adjustable display





HS-1200RS HS-1200RS-GD



AS-220RTS

12-digit desktop

SIZE: 150 x 134 x 36mm WEIGHT: 150g

FEATURES • Tax and business calculations

- ♦ 120 steps check and correct function
- Auto check function
- ♦ Large upright display

















LS-120RS

12-digit mini desktop

SIZE: 135 x 103 x 32mm WEIGHT: 102g

FEATURES • Business calculation

- ♦ 100 steps check and correct function
- ♦ Executive finish metallic topcoating











HS-1200RS

12-digit desktop

SIZE: 174 x 123 x 38mm WEIGHT: 170g

FEATURES • Business calculation

- 100 steps check and correct function
- Decimal (+43210F) and rounding selections
- Executive finish metallic topcoating













Wide body design with Large Keytops & Easy to read Display



WS-112H

12-digit mini desktop

SIZE: 148 x 109 x 30.4mm WEIGHT: 110g

FEATURES • Mark up function

- · Grand total memory
- Large display
- ♦ Wide keyboard













WS-1212H

12-digit desktop

SIZE: 173.5 x 131 x 34.7mm

WEIGHT: 164g

FEATURES • Mark up function

- Grand total memory
- Decimal (+43210F) and rounding selections
- · Large display
- Wide keyboard
- Retractable stand














WS-2222

12-digit desktop

SIZE: 192 x 143 x 37mm WEIGHT: 187g

FEATURES . Mark up function

- **♦ Double memory**
- Decimal (+01234F) and rounding selections
- Spacious keyboard with large plastic key tops









WS-220TC

WS-240TC

WS-260TC

WS-220TC

12-digit desktop

WS-240TC 14-digit desktop

WS-260TC

16-digit desktop

SIZE: 145 x 145 x 35mm WEIGHT: 165g

FEATURES • Tax calculation

- Currency conversion
- Decimal (+43210F) and rounding selections
- Large display





















WS-1210T

WS-1410T

WS-1610T

WS-1210T

12-digit desktop

WS-1410T 14-digit desktop

WS-1610T 16-digit desktop

SIZE: 198 x 150 x 38mm WEIGHT: 238g

FEATURES • Tax calculation

- · Mark up and reverse functions
 - · Grand total memory
 - Decimal (+4320F) and rounding selections
 - ◆ Adjustable display
 - ◆ IT touch keys









CURRENCY CONVERSION



Our calculators with currency conversion enable you to make quick conversions between currencies at the push of a button. This handy function is available on selected models of printing and nonprinting calculators for added convenience.

Storing Currency Rate		
= 1.2809 (US\$) and [LOCA	1 (Euro)	
Operation	Display	
1.2809 RATE LOCAL	(RATE	1.2809)

Recall Currency Rate		
Operation	Display	
RATE	(RATE	1.2809)

Converting Currency			
Calculation	Operation	Display	
Euro 78 = US ?	78 LOCAL	(LOCAL	99.91)
Calculation	Operation	Display	
US\$ 48 = Euro ?	48	(E)	37.47)



KC-30

8-digit key chain calculator

SIZE: 75 x 42 x 13mm WEIGHT: 28g

FEATURES

- · Battery power only
- · Ideal item for gift
- Customizable lower case









LC-10

10-digit credit card size handheld

SIZE: 90 x 50 x 5.4mm WEIGHT: 20g

FEATURES

- ♦ Touch feeling membrane keys
- · Slim and flat body design
- Trendy gadget with strap hole for strap attachment
- · Battery power only









LS-153TS

10-digit handheld

SIZE: 125 x 80 x 13mm WEIGHT: 73g

FEATURES

- Tax and business calculations
- Large display
- Executive finish metallic topcoating
- Wallet case included













LS-270H

8-digit handheld

SIZE: 102 x 61 x 10mm WEIGHT: 37g

FEATURES

- · Mark up function
- Large display
- ♦ Executive finish metallic topcoating
- Wallet case included













LS-12TC

12-digit handheld

SIZE: 120 x 73 x 10mm WEIGHT: 56g

FEATURES

- Tax calculation
- · Grand total memory
- Currency conversion
- Large display
- Wallet case included















LS-12H

12-digit handheld

SIZE: 120 x 72 x 9.5mm WEIGHT: 52.7g

FEATURES

- · Mark up function
- Sleek design with strap hole for strap attachment
- · Wallet case included











Your perfect partner for time management



for KOHKIN

Inorganic antibacterial agent, Kneading, Upper Case, Lower Case, Key, Battery Cover, Stand JP0122123A0007T

CT-40

Timer

SIZE: 80 x 47 x 13.5mm WEIGHT: 41g

FEATURES • Alarm clock and quick timer

- Count up / down
- 12 / 24 hour clock display
- Antibacterial keys
- Retractable stand for standing on work surface
- Magnet on the back for mounting
- · Battery power only
- ♦ Made of anti-baterial material for hygienic use













Printing calculators



Printing color:





P1-DTSC 12-digit AC/DC ink roller

P23-DTSC

12-digit AC/DC

ink roller

SIZE: $203 \times 102 \times 48$ mm (P1-DTSC) / $235 \times 155 \times 55$ mm (P23-DTSC) WEIGHT: 336g (with AA battery x 4) (P1-DTSC) / 480g (with AA battery x 4) (P23-DTSC)

PRINTING SPEED: 2.0 lines/sec (P1-DTSC) / 2.3 lines/sec (P23-DTSC)

FEATURES • Tax and business calculations

- ♦ Currency conversion
- ◆ Clock and calendar functions (P23-DTSC only)
- Decimal (+023F) and rounding selections
- Large display
- · Low battery indicator













CLOCK AND CALENDER



Built-in clock and calendar allows users to keep track of the time and date on the display. The calculator also has the function of printing out time and date.

- Choose calendar or clock mode			
Calendar	mode	Clock mod	de
CLOCK/DATE SET	- set date and time	CLOCK/DATE SET	- set date and time
FORMAT	- select date format between "YYYY/MM/	12/24	- choose 12 or 24 hour
	DD", "DD/MM/YYYY" or "MM/DD/YYYY"	AM/PM	- set AM or PM

Printing calculators 2,000-100.00 1.500 ** 10. MX 1.350.00 C* 1,234,567,890.12 234.567.890. 254.698. 1.468.881.082.12 M+ P1-DHV G P23-DHV G





12-digit AC/DC ink roller

P1-DHV G SIZE: 204 x 100 x 48mm (P1-DHV G) / 217 x 162 x 56mm (P23-DHV G)

WEIGHT: 332g (with AA battery x 4) (P1-DHV G) / 558g (with AA battery x 4) (P23-DHV G)

PRINTING SPEED: 2.0 lines/sec (P1-DHV G) / 2.3 lines/sec (P23-DHV G)

P23-DHV G FEATURES • Tax and business calculations

12-digit AC/DC ink roller

◆ Time calculation

◆ Clock and calendar functions (P23-DTSC only)

- Decimal (+023F) and rounding selections
- Large display
- Low battery indicator













TIME CALCULATION

E.g. Calculating wages: 10:30-22:15, US\$7/ hour							
TIME CAL							
Calculation	Operation	Print Out					
	TIME CAL TIME CAL						
10:30 to 22:15	1 0 3 0 ~	10-30					
(24 hour mode)	2 2 1 5 =	22-15					
1		11-45 =					
1		(Hours work)					
US\$7/ hour	X	11.75 x					
	7 🖃	7.=					
		82.25 *					
		(Amount due)					





MP120-MG-es

12-digit AC ink roller

SIZE: 294 x 210 x 74mm WEIGHT: 825g

PRINTING SPEED: 2.7 lines/sec

TTHITTITES OF EED: 2.7 miles/600

- FEATURES Tax and business calculations
 - Grand total memory
 - Currency conversion
 - ◆ Clock and calendar functions
 - Decimal (+0234F)and rounding selections
 - Illuminated 2-color display (green for positive & red for negative figures)







Illuminated Display - green color for positive figures

Illuminated Display - red color for negative figures





MP121-MG-es

12-digit AC ink roller

SIZE: 258 x 189.2 x 60.5mm

WEIGHT: 635g

PRINTING SPEED: 2.3 lines/sec

FEATURES • Tax and business calculations

- Grand total memory
- **♦ Currency conversion**
- Clock and calendar functions
- Decimal (+01234F) and rounding selections



Printing calculators



Printing colors: Black Red

MP1200-FTS


12-digit AC ink ribbon

SIZE: 325 x 221 x 79mm WEIGHT: 1700g

PRINTING SPEED: 3.7 lines/sec

FEATURES • Tax and business calculations

- Mark up function
- · Grand total memory
- Decimal (+02346F) and rounding selections
- Fluorescent tube display





















MP1211-LTSC

12-digit AC ink ribbon

MP1411-LTSC

14-digit AC ink ribbon

MP1611-LTSC-es

16-digit AC ink ribbon

SIZE: 334 x 219 x 74.5mm WEIGHT: 1600g

PRINTING SPEED: 4.3 lines/sec

FEATURES • Tax and business calculations

- · Grand total memory
- · Currency conversion
- Cash change function
- Decimal (+02346F) and rounding selections
- Illuminated 2-color display (green for positive & red for negative figures)
- Stable stroke keyboard














Illuminated Display - green color for positive figures



Cash Change Calculation

Calculation	Operation	Print Out
Purchase price: \$250	250 🛨	250.00 +
\$300	300	300.00 +
+) \$270	270 +	270.00 +
\$820	*	820.00 *
		•••••
Cash paid: \$1,000	1000 CHANGE	1,000.00 CC
Change price = ? (\$180)		180.00 ∆C

4.3 lines/ sec

MP1611-LTSC-es

MP1211-LTSC with 12-digit


3.7 lines/sec



X Mark II 12-digit desktop

SIZE: 160 x 95 x 10.8mm





- · Grand total memory
- · Internal angled LCD display
- · Laser engraved keys
- ♦ Aluminium lower case
- ♦ Solar powered only













Features Highlight



Sophisticated image with laserengraved aluminium base



 Internal angled display for comfort reading



3. Thin light-weighted body and matt finish upper case design



reddot design award best of the best 2013

reddot Design Award: best of the best 2013

Reddot design award breaks down into three disciplines: product design, communication design and design concept. It serves as a platform for design-relevant innovations. Since 1955, it has been recognized as an international label and quality seal. The award is given to X Mark I & X Mark I Print in 2011, and X Mark II in 2013 for their outstanding product design achievement. The degree of innovation, quality, ecology and symbolic content excels other products in their respective categories.



Compatible with Windows ® XP (SP2 or above) / Windows ® Vista / Windows ® 7, 8; Macintosh ® X10.4 -10.8

X Mark I Presenter

8-digit calculator with presenter function



SIZE: 143 x 43.5 x 19.5mm

WEIGHT: 54g (without battery) / 77g (AAA battery x 2)

FEATURES * 2.4GHz wireless presenter

- Red laser pointer
- Built-in presentation keys
- Aluminium upper case
- Compatible with PowerPoint ® and Keynote
- Pouch case included















Features Highlight



Precise projection with red laser beam



2. Lightweight ergonomic design



3. Timer function: count up / count



X Series — Design x Ecology

You desire a calculator that makes a difference and can own with pride.

Canon presents you the trendsetter - the X Mark I series, which excels in style, efficiency and environmental accountability. Incorporated with two core elements - design & ecology, the X Mark I series represents a breakthrough from traditional calculator image and serves as a stylish & sophisticated office assistant in all occasions.

Cutting Edge Design Portable Printing Calculator



X Mark I Print

12-digit AC/DC ink roller printing calculator



SIZE: 223 x 108 x 48mm

WEIGHT: 390g (without battery) / 458g (AA battery x 4)

PRINTING SPEED: 2.3 lines/sec

FEATURES • Tax and business calculation

- Currency conversion
- Backlight LCD display
- IT touch keys





Features Highlight



- viewing under backlight display
- Polished and glossy surface
- 3. IT touch keys



reddot design award winner 2011

reddot Design Award: winner 2011

Reddot design award breaks down into three disciplines: product design, communication design and design concept. It serves as a platform for design-relevant innovations. Since 1955, it has been recognized as an international label and quality seal. The award is given to X Mark I & X Mark I Print in 2011, and X Mark II in 2013 for their outstanding product design achievement. The degree of innovation, quality, ecology and symbolic content excels other products in their respective categories.

Customization

Precious

Moments

A calculator could be a memorable gift recording your different stages of life with special messages. A theme could also be printed on the upper case or lower case.



Product images Promotion

Long lasting laser engraving can be applied on the aluminium casing with graphic patterns or even photo images.



Customization Options for Canon Calculators

With customized printing and patterns, calculators could be a delicate gift for special events , promotion and precious moments in life. Various package design options make the calculator a perfect sales promotional tool for raising brand awareness and product popularity.



DISPLAY SCREEN -

1. Graphic or pattern can be silk printed on the display screen area. 2. Customized logo / panel can be

2. Customized logo / panel can be placed on the selected space.

KEYTOP

Customized by changing the color and key printing with logo, icon or words.


LASER ENGRAVING

Only applicable for calculator models with aluminium lower case.
 All laser engraved images or words would appear in white or grey color (the color contrast depends

on the engraving duration), on the aluminium lower case.


LOWER CASE

Customized by changing the lower case color.



Corporate Business

By including company logos, symbols or even signature, our calculator will become unique corporate gifts, which help raise brand popularity.



Event Celebration

Event logo can be printed on the product, making it an ideal souvenir for celebrating events such as company anniversary and corporate events.





UPPER CASE

- 1. Graphic or pattern can be silk printed on the upper case.
- 2. Customer logos or wordings can be placed on the selected space.

- KEYTOF

Customized by changing the color and key printing with logo, icon or words.

SILK PRINTING -

 Applicable for calculator models with normal plastic lower case.
 Graphics, icons or words can be printed with selected patone colors.

LOWER CASE -

Customized by changing the lower case color.

Function Highlights

		Basic Functions only	Business Calculation	Double Memory	Check and Correct	Tax calculation	Currency Conversion	Time calculation	Decimal and Rounding Selection	Clock and Calendar
	F-604									
	F-715SG series									
TIFIC	F-718S series									
SCIENTIFIC	F-788DX									
	F-788SG									
	F-789SGA									
	LS-270V II	•								
COLOR SERIES	LS-123T					•				
COLOR	AS-120V	•								
	LS-100T					•				
	AS-240			•						
	AS-280			•						
	AS-8	•								
ES	AS-120	•								
ARC SERIES	AS-1200	•							•	
AA	AS-2222			•					•	
	AS-2200	•							•	
	AS-2400	•							•	
	AS-2600	•							•	
	LC-210Hi III	•								
<u>S</u>	LS-88Hi III	•								
Hi III SERIES	LS-120Hi III	•								
王	TX-1210Hi III					•			•	
	WS-1210Hi III					•			•	
RIES	LS-154TG					•				
GREEN SERIES	HS-20TG					•			•	
GRI	TS-1200TG					•			•	
es	KS-1220TG					•			•	
DESKTOP Professional use	KS-1220TSG		•			•			•	
Ÿ.	BS-1220TG					•		•	•	
c use	LS-82Z	•								
DESKTOP Basic & Economic use	LS-102Z	•								
Basic 8	LS-101H	•								
Se	LS-1200T					•				
TOP siness u	TS-120TS		•			•			•	
DESKTOP Office & Business use	HS-1200TS		•			•			•	
Office	LS-100TS		•			•				

AS-220RTS AS-220RT AS-220RT AS-220RT AS-220RT AS-2288R AS-2288R AS-2288R AS-222Z AS-2212H AS-222Z AS-2212H AS-222Z AS-220TC AS-221DT AS-2222 AS-221DT AS-2221D AS-2222 AS-221DT AS-221D				Basic Functions only	Business Calculation	Double Memory	Check and Correct	Tax calculation	Currency Conversion	Time calculation	Decimal and Rounding Selection	Clock and Calendar
AS-2200R AS-288R AS-28R			AS-120R				•					
LS-120RS		_	AS-220RTS		•			•				
LS-120RS		Function	AS-2200R									
LS-120RS		Sorrect	AS-288R				•	•				
LS-120RS		Deck & C	AS-2288R				•	•			•	
WS-112H WS-1212H WS-2222 WS-220TC WS-22		ਠ	LS-120RS									
WS-1212H			HS-1200RS		•						•	
WS-2222	ĺ		WS-112H	•								
WS-220TC			WS-1212H	•							•	
WS-240TC			WS-2222			•					•	
WS-260TC		0 0	WS-220TC					•	•		•	
WS-260TC		ESKTO!	WS-240TC					•	•		•	
WS-1410T		≧≥	WS-260TC					•	•		•	
WS-1610T			WS-1210T					•			•	
CT-40 CT-4			WS-1410T					•			•	
LS-270H .			WS-1610T					•			•	
LS-153TS			KC-30	•								
LC-10			LS-270H	•								
LC-10		ÆLD	LS-153TS					•				
LS-12H		HAND	LS-12TC					•	•			
P1-DTSC P23-DTSC P23-DTSC P1-DHV G P23-DHV G P23-DHV G P23-DHV G P33-DHV G P43-DHV G			LC-10	•								
P1-DTSC P23-DTSC P1-DHV G P23-DHV G MP120-MG-es MP120-MG-es MP1200-FTS MP1211-LTSC MP1411-LTSC MP1611-LTSC MP1611-LTSC-es X Mark II X Mark I Presenter X Mark I Print **North P1			LS-12H	•								
P23-DTSC		CLOCK & TIMER	CT-40									
P1-DHV G	ĺ		P1-DTSC		•			•	•		•	
P23-DHV G			P23-DTSC		•			•	•		•	•
MP1211-LTSC			P1-DHV G		•			•		•	•	
MP1211-LTSC		ATOR	P23-DHV G		•			•		•	•	•
MP1211-LTSC		ALCULA	MP120-MG-es		•			•	•		•	•
MP1211-LTSC		TING C	MP121-MG-es		•			•	•		•	•
MP1411-LTSC		PRIN	MP1200-FTS		•			•			•	
MP1611-LTSC-es			MP1211-LTSC		•			•	•		•	
X Mark I			MP1411-LTSC		•			•	•		•	
X Mark Presenter X Mark Print • • • • • • • • • • • • • • • • • •			MP1611-LTSC-es		•			•	•		•	
X Mark I Print • • •	ĺ	m	X Mark II		•							
X Mark I Print • • •		SERIE	X Mark I Presenter	•								
		×	X Mark I Print		•			•	•		•	

Specifications are subject to change without notice.

Calculator Specifications

Scientific (P.4-7)













	F-789SGA	F-718S series	F-715SG series	F-788SG	F-788dx	F-604
No. of Functions & Features	605	264	250	488	497	142
Memory						
No. of Store Memory	19	17	17	9	20	10
Independent Memory (M+ & M-)	•	•	•	•	•	•
Scientific Constants	79	-	-	79	79	_
Metric Units Conversion	172	_	_	172	170	_
Basic Mathematics Calculations						
Fractions Calculation & Decimal Conversion		•	•	•	•	•
Calculation Expression Direct Input				•	•	_
Parentheses	99	99	24	24	24	15
Square, Cube, Reciprocal				•	•	•
Square Root, Cube Root			•	•	•	
Multiple Root, Power Square		•		•	•	•
Decimal Point Selection			•	•	•	•
Exponential & Logarithmic			•	•		
Log _a b				•	•	_
Absolute Value Calculation				•		_
Least Common Multiplier (LCM) & Greatest Common Divider (GCD)				_	_	_
Quotient Remainder (Qr)			•	_	-	_
Sum & Product of The Input Function ($\Sigma \& \Pi$)		_	_	_	_	_
Prime Factorization (Pfact)		_	_	_	_	_
Max & Min Value in Number Series		_	_	_	_	_
Modulus After Division (Mod)		_	_	_	_	_
Ratio Calculation	_	_	_	_	_	_
Statistics						
Table-Formated Data Input & Edit			_	_	_	_
1-/2-Variable				•		1-variable
Mean, Standrad Deviation, Sum Of Value						•
Maximum Value, Minimum Value, Median Value		only Max & Min		_	_	_
Q1 & Q3 Value			_	_	_	_
Factorials, Permutations & Combinations						
Regression Analysis						
Correlation Coefficient (r)		_	_			_
Probability Distribution Calculations		_	_		•	_
Random Number Generation (Rand)						
Integer Random Number Generation (I-Rand)						_
Trigonometry						
Angles & DRG Conversions				_		
Trigonometry & Inverse Trigonometry						
Hyperbolic & Inverse Hyperbolic					•	
Degree-Minutes-Seconds ← Decimal Degrees / Sexagesimal Cal.						
Algebra			_	•	•	
Complex Number Calculation		_	_			
Solve Function		_			•	•
Calc Function	•			•	•	_
Matrix Calculations	A v A (A mamarias)			3 x 3 (3 memories)	3 v 3 (2 momentus)	
	4 x 4 (4 memories)			3 x 3 (3 memories)	3 x 3 (3 memories)	
Inequality Calculations (INEQ)	Up to Quartic & 4		_	Up to Cubic & 3	Up to Cubic & 3	
Equation Operation	unknowns	_	_	unknowns	unknowns	_
Function Table	•	•				_
Calculus						
Integration Calculation	•	_	-	•	•	_
Differential Calculation	•	_	-	•	•	_
Geometry						
Vector Calculations	•	-	-	•	•	-
Coordination Conversion (Rectangular ↔ Polar)	•	•	•	•	•	•
Computer maths						
Base-N Calculation (Bin, Oct, Dec, Hex)		_	_	•	•	•
Transformation between DHBO		_	-	•	•	•
Logic Operation		-	-	•	•	-

Calculator Specifications

Scientific













	F-789SGA	F-/18S series	F-/15SG series	F-788SG	F-/88dx	F-604
Special Features						
Multiple Replay & Last Digit Correction	•	•	•	•	•	-
Undo/ Input Recovery	-	-	•	•	•	-
Internal Calculation Digits	18 digits	18 digits	16 digits	16 digits	16 digits	12 digits
Apps Key (Quick Function Key)	•	-	_	-	-	-
Display						
Lines			2	2	2	1
Upper Line Display	Textbook Display 31 x 96 dots	Textbook Display 31 x 96 dots	12	12	12	-
Lower Line Display			10 + 2	10 + 2	10 + 2	10 + 2
LCD Contrast Selection	•	•	-	-	-	-
Low Battery Indicator	•	•	•	-	•	-
Fixed decimal, Sci and Eng Notation	•	•	•	•	•	•
ENG Mode	•	•	•	•	•	•
Specifications						
Power Source	Solar + Battery	Solar + Battery	Solar + Battery	Solar + Battery	Solar + Battery	Battery
Battery	CR2032 x 1	CR2032 x 1	LR44 x 1	LR44 x 1	CR2032 x 1	LR44 x 2
Auto-Power Off	7 min.	7 min.	7 min.	7 min.	7 min.	7 min.
Dimensions L x W x H (mm) - with Hard Case	171 x 86 x 17.3	171 x 86 x 18.7	168 x 86.3 x 17.8	168 x 86.3 x 17.8	158 x 84 x 18	152 x 78 x 18
Dimensions L x W x H (mm) - Body Only	168 x 80 x 13.1	168 x 80 x 14.5	165 x 80 x 14	165 x 80 x 14	155 x 80 x 14.5	150 x 74.5 x 11.5
Weight (g) - with Hard Case	120	128	124	124	135	96
Weight (g) - Body Only	88	95	89	89	100	73
Hard Cover			•	•		•

Specifications are subject to change without notice.

Color Series



























			need dead dead	
	LS-100T	AS-120V	LS-270VII	LS-123T
Digits	10	12	8	12
Memory	1	1	1	1
Power Source	Dual power	Dual power	Dual power	Dual power
Battery	LR44 x 1	LR44 x 1	LR1130 x 1	LR44 x 1
Tax Calculation	•	-	-	•
GT	•	•	-	•
MU	_	•	•	-
RV	-	•	-	-
%±	•	•	•	•
√	•	•	•	•
C	•	•	•	•
\rightarrow	•	•	-	•
00	•	•	-	•
Special Features	1. Large display 2. Vivid color body design	1. Large display 2. Vivid color body design	Durable plastic keytop	1. Large display 2. Slim body design

Specifications are subject to change without notice.

Arc Series



















	AS-240	AS-280	AS-8	AS-120	AS-1200	AS-2222	AS-2200	AS-2400	AS-2600
	A5-240	AS-280	A5-8	A5-120	AS-1200	A5-2222	A5-2200	A5-2400	A5-2600
Digits	14	16	8	12	12	12	12	14	16
Memory	2	2	1	1	1	2	1	1	1
Power Source	Dual power	Dual power	Battery	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	LR44 x 1	LR44 x 1	LR1130 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1
Decimal Selection	+4320F	+4320F	-	-	+4320F	+4320F	+4320F	+4320F	+4320F
Rounding	1 5/4 1	1 5/4 →	-	_	1 5/4 →	1 5/4 →	1 5/4 →	1 5/4 →	1 5/4 →
GT	•	•	_	•	•	-	•	•	•
MU	•	•	-	•	•	•	•	•	•
RV	-	-	_	•	•	-	•	•	•
%±	•	•	•	•	•	•	•	•	•
$\sqrt{}$	-	-	•	•	•	•	•	•	•
G	•	•	_	•	•	•	•	•	•
\rightarrow	•	•	-	•	•	•	•	•	•
00	•	000	-	•	•	•	•	•	000
Special Features	Large display	Large display	360° upward folding hard cover	-	-	Double independent memory	Adjustable display	Adjustable display	Adjustable display

Specifications are subject to change without notice.



(P.14-15)











	2000 2000 2000				
	LC-210Hi III	LS-88Hi III	LS-120Hi III	TX-1210Hi III	WS-1210Hi III
Digits	8	8	12	12	12
Memory	1	1	1	1	1
Power Source	Battery	Dual power	Dual power	Dual power	Dual power
Battery	LR1130 x 1	LR1130 x 1	LR44 x 1	LR44 x 1	LR44 x 1
Decimal Selection	_	-	-	+4320F	+4320F
Rounding	_	-	-	1 5/4 1	1 5/4 1
Tax Calculation	_	-	-	•	•
GT	_	-	•	•	•
MU	_	-	•	•	•
RV	_	-	•	•	•
%±	•	•	•	•	•
√	•	•	•	•	•
€	-	•	•	•	•
\rightarrow	-	-	•	•	•
00	-	-	•	•	•
Special Features	360° upward folding hard cover	Large display	Metallic topcoating (Color series only)	IT Touch keys	Adjustable display IT touch keys

Calculator Specifications

Green Series (P.16-17)







LS-154T

н	ıs.	-20	т	c
•	.0	~~0		•

TS-1200T

Digits	12	12	12
Memory	1	1	1
Power Source	Dual power	Dual power	Dual power
Battery	CR2016 x 1	CR2032 x 1	CR2032 x 1
Decimal Selection	_	+43210F	+43210F
Rounding	_	5/4→	5/4 ₹
Tax Calculation	•	•	•
Business Calculation	_	_	_
GT	_	•	•
%±	•	•	•
$\sqrt{}$	•	•	•
Ð	•	•	•
\rightarrow	_	•	•
00	_	•	•
Recycled Plastic	•	•	•
Special Features	360° folding hard cover	Cosmetic metal plate	Adjustable display

Specifications are subject to change without notice.

Desktop - Professional use

(P18)











Desktop - Office & Business use





	KS-1220TG	KS-1220TSG	BS-1220TG	LS-1200T	TS-120TS	HS-1200TS	LS-100TS
Digits	12	12	12	12	12	12	10
Memory	1	1	1	1	1	1	1
Power Source	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	CR2016 x 1	CR2016 x 1	CR2016 x 1	CR2016 x 1	CR2032 x 1	LR44 x 1	LR44 x 1
Decimal Selection	+43210F	+43210F	+43210F	-	+43210F	+43210F	-
Rounding	1 5/4 →	1 5/4 →	1 5/4 →	-	5/4	1 5/4 √	-
Tax Calculation	•	•	•	•	•	•	•
Business Calculation	-	•	-	-	•	•	•
Time Calculation	-	_	•	_	_	-	_
GT	•	•	•	_	_	•	_
MU	-	_	_	_	_	-	_
RV	•	_	•	_	_	-	_
%±	•	•	•	•	•	•	•
$\sqrt{}$	-	_	•	_	_	•	•
€	•	•	•	•	•	•	•
\rightarrow	•	•	•	•	•	•	•
00	•	•	•	•	•	•	-
Special Features	Silent key input A keys rollover Adjustable display	Silent key input 3. 4 keys rollover 3. Adjustable display	Non-slip rubber Adjustable display Metallic topcoating	Large internal angled display	Adjustable display Metallic topcoating	Metallic topcoating	Metallic topcoating

Desktop - Basic & Economic use (P.19)



Specifications are subject to change without notice.

Desktop - Check & Correct Function (P.20-21)

	Towns I	223/512012		225745782 57	2275 3 3 10 12 2 3 3 3 3 10	2301018	FERNANCE CONTROL OF THE PROPERTY OF THE PROPER
	AS-120R	AS-220RTS	AS-2200R	AS-288R	AS-2288R	LS-120RS	HS-1200RS
Digits	12	12	12	12	12	12	12
Memory	1	1	1	1	1	1	1
Power Source	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1
Decimal Selection	-	-	+4320F	-	+43210F	-	+43210F
Rounding	-	-	1 5/4 →	-	1 5/4 →	-	1 5/4 1
Tax Calculation	_	•	_	•	•	-	_
Business Calculation	-	•	-	-	-	•	•
Check & Correct	(120 steps)	● (120 steps)	(120 steps)	● (200 steps)	● (200 steps)	(100 steps)	(100 steps)
GT	_	-	_	•	•	-	-
MU	-	_	-	•	•	-	_
RV	-	-	_	•	•	-	_
%±	•	•	•	•	•	•	•
$\sqrt{}$	•	-	_	•	•	-	•
C	-	•	•	•	•	•	•
\rightarrow	•	•	•	•	•	•	•
00	•	•	•	•	•	-	•
Special Features	Auto check function	Auto check function	Adjustable display	Large display	Large display	Metallic topcoating	Metallic topcoating

Calculator Specifications

Desktop - WS Series

















	WS-112H	WS-1212H	WS-2222	WS-220TC	WS-240TC	WS-260TC	WS-1210T	WS-1410T	WS-1610T
Digits	12	12	12	12	14	16	12	14	16
Memory	1	1	2	1	1	1	1	1	1
Power Source	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	CR2032 x 1	CR2032 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	CR2032 x 1	CR2032 x 1
Decimal Selection	-	+43210F	+43210F	+43210F	+43210F	+43210F	+4320F	+4320F	+4320F
Rounding	-	1 5/4 →	1 5/4 →	1 5/4 →	1 5/4 →	1 5/4 →	1 5/4 →	1 5/4 →	1 5/4 →
Tax Calculation	-	-	-	•	•	•	•	•	•
Currency Conversion	-	-	-	•	•	•	-	-	_
GT	•	•	-	-	-	-	•	•	•
MU	•	•	•	-	-	-	•	•	•
RV	-	_	-	-	_	_	•	•	•
%±	•	•	•	•	•	•	•	•	•
$\sqrt{}$	•	•	•	•	•	•	•	•	•
C	•	•	•	•	_	-	•	•	•
\rightarrow	•	•	•	•	•	•	•	•	•
00	•	•	•	_	•	•	•	•	•
Special Features	Wide keyboard	Retractable stand	Double independent memory	Wide keyboard	Wide keyboard	Wide keyboard	Adjustable display IT touch keys	Adjustable display IT touch keys	Adjustable display IT touch keys

Specifications are subject to change without notice.

Handheld (P.24)















Clock & Timer



	0 0			ALIMAN TO A		The second second		
	KC-30	LS-270H	LS-153TS	LS-12TC	LC-10	LS-12H		CT-40
Digits	8	8	10	12	10	12	Type	Electronic Timer
Memory	_	1	1	1	1	1		
Power Source	Battery	Dual power	Dual power	Dual power	Battery	Dual power	Battery	LR44 X 1
Battery	LR44 x 1	LR54 x 1	LR54 x 1	CR2016 x 1	CR2016 x 1	LR54 x 1	Clock Display	Digital 12/24 hours (AM/PM)
Tax Calculation	-	_	•	•	_	_		
Business Calculation	-	-	•	-	-	-	Alarm Clock	•
Currency Conversion	-	-	-	•	-	-	Count Down Timer	•
GT	-	-	-	•	-	-	World Time	•
MU	_	•	-	-	_	•	0 (1 1)/ (
%±	•	•	•	•	-	•	Optional Keytone	-
√	-	•	•	•	-	•	Currency Conversion	-
€	_	•	•	•	•	•	Calendar	
\rightarrow	_	-	•	•	_	•	Caleridai	
00	-	-	-	•	-	•	Calculator	-
Wallet Case	-	•	•	•	_	•		1. Magnet on the back
Special Features	Keychain calculator	Large display Metallic topcoating	Metallic topcoating	-	Slim and flat body design Strap attachable	Strap attachable	Special Features	for mounting 2. Anti-bacterial material used

Specifications are subject to change without notice.

Printing Calculators (P.25-28)











	X Mark I Print	P1-DTSC	P23-DTSC	P1-DHV G	P23-DHV G
Digits	12	12	12	12	12
Display Type	LCD	LCD	LCD	LCD	LCD
Power Source	AC/DC (AD-11 /AA battery x 4)	AC/DC (AD-11 /AA battery x 4)	AC/DC (AD-11 /AA battery x 4)	AC/DC (AD-11 /AA battery x 4)	AC/DC (AD-11 /AA battery x 4)
Back-up Battery	CR2032 x 1	CR2032 x 1	CR2032 x 1	CR2032 x 1	CR2032 x 1
Printer Type	Ink roller	lnk roller	Ink roller	Ink roller	Ink roller
Printing Color	2	1	2	2	2
Printing Speed (lines/sec)	2.3	2	2.3	2	2.3
IT Touch Key	•	-	-	-	-
Decimal Selection	+0234F	+0234F	+023F	+0234F	+023F
Rounding	5/4 →	5/4 →	1 5/4 →	5/4 →	1 5/4 →
Tax Calculation	•	•	•	•	•
Business Calculation	•	•	•	•	•
Currency Conversion	•	•	•	_	_
Clock & Calendar	_	_	•	_	•
Time Calculation	-	-	-	•	•
Cash Change Function	_	-	_	_	_
GT	_	-	_	-	-
Item Count	-	-	•	-	•
%±	•	•	•	•	•
*	_	-	•	-	•
#/◊	#	#	•	#	•
€	•	•	•	•	•
\rightarrow	-	-	•	-	•
0/00/000	0	0	0/00	0	0/00
Ink Cartridge	CP-13 II	CP-16 II	CP-13 II	CP-13 II	CP-13 II
Roll Paper	MP-57	MP-57	MP-57	MP-57	MP-57
Special Features	1. Backlight LCD display 2. IT touch keys	Silver metallic spray on upper case	Silver metallic spray on upper case	Low battery Indicator	Low battery Indicator
				Specifica	ations are subject to change without notice.

Calculator Specifications

Printing Calculators (P.25-28)













	MP120-MG-es	MP121-MG-es	MP1200-FTS	MP1211-LTSC	MP1411-LTSC	MP1611-LTSC-es
Digits	12	12	12	12	14	16
Display Type	2-color LCD	LCD	Fluorescent Tube	2-color LCD	2-color LCD	2-color LCD
Power Source	AC	AC	AC	AC	AC	AC
Back-up Battery	CR2032 x 1	CR2032 x 1	-	CR2032 x 1	CR2032 x 1	CR2032 x 1
Printer Type	Ink roller	Ink roller	Ink ribbon	Ink ribbon	Ink ribbon	Ink ribbon
Printing Color	2	2	2	2	2	2
Printing Speed (lines/sec)	2.7	2.3	3.7	4.3	4.3	4.3
IT Touch Key	•	-	-	•	•	•
Decimal Selection	+0234F	+01234F	+02346F	+02346F	+02346F	+02346F
Rounding	1 5/4 →					
Tax Calculation	•	•	•	•	•	•
Business Calculation	•	•	•	•	•	•
Currency Conversion	•	•	-	•	•	•
Clock & Calendar	•	•	-	-	-	-
Time Calculation	-	-	-	_	-	-
Cash Change Function	-	-	-	•	•	•
GT	•	•	•	•	•	•
Item Count	•	•	•	•	•	•
%±	•	•	•	•	•	•
*	•	•	•	•	•	•
#/◊	•	•	•	•	•	•
C	-	-	•	-	-	-
\rightarrow	•	•	•	•	•	•
0/00/000	0/000	0/00/000	0/00	0/00/000	0/00/000	0/00/000
Ink Cartridge	CP-13 II	CP-13 II	EP-102	EP-102	EP-102	EP-102
Roll Paper	MP-57	MP-57	MP-57	MP-57	MP-57	MP-57
Special Features	-	-	-	-	-	-

X Series (P.29-31)







X Mark II

X Mark I Presenter

X Mark I Print¹

Туре	Premium display calculator	Wireless presenter with pointer, calculator and timer	Palm size AC/DC Printing Calculator
Digits	12	8	12
Memory	1	-	1
Power Source	Solar only	Battery	AC/DC power (AD-11 / AA battery x 4)
Battery	-	AAA battery x 2	AA battery x 4
Preset Decimal	-	-	+4320F
Rounding	-	-	5/4 ▼
Tax Calculation	-	-	•
Business Calculation	•	-	•
Currency Conversion	-	-	•
GT	•	_	_
%±	•	•	•
√	•	_	_
€	•	_	•
\rightarrow	•	-	-
00	•	-	-
Special Features	Laser engraved keys	Aluminium upper case	1. Backlight LCD display 2. Durable IT touch keys

Package list & Barcode

	Model	Package Type	QTY/ CTN	G/W (kg)	Length (mm)	Width (mm)	Height (mm)	М3		Model		Package Type	QTY/ CTN	G/W (kg)	Length (mm)	Width (mm)	Height (mm)	М3
	F-604	EXP HB	40	10.20	410	410	210	0.0353		LS-82Z		EXP HB	80	8.86	535	327	224	0.0392
	F-715SG-BK	ASA HB	40	9.12	395	303	245	0.0293		9E000		EVD UD	90	9 NE	505	207	224	0.0202
	F-715SG-WHM	ASA HB	40	9.12	395	303	245	0.0293		§ LS-102Z		EXP HB	80	8.05	535	327	224	0.0392
	F-715SG-WHB	ASA HB	40	9.12	395	303	245	0.0293		S LS-101H		J/E GB CHI	80	12.20	471	315	324	0.0481
2	F-718S-BL F-718S-WH	ASA HB ASA HB	40	7.77 7.77	395 395	303	245 245	0.0293		S LS-1200T-WH		ASA HB	60	8.13	334	220	336	0.0247
SCIENTIFIC	F-718S-BK	ASA HB	40	7.77	395	303	245	0.0293		TS-120TS		ASA HB	40	9.60	387	305	279	0.0329
SCE	F-718S-PK	ASA HB	40	9.12	395	303	245	0.0293		₩ HS-1200TS		EXP HB N	40	10.35	446	428	316	0.0603
U)	F-788DX-GY	ASA HB	40	11.60	424	354	233	0.0350		5 LS-100TS		EXP HB CHI	60	9.57	467	362	259	0.0438
	F-788SG-NV	ASA HB	40	8.80	387	317	245	0.0300		AS-120R AS-220RTS		ASA HB ASA HB	40 40	6.70 8.75	371 380	337 348	268 334	0.0335
	F-788SG-BL	ASA HB	40	8.80	387	317	245	0.0300	0	AS-2200R		ASA HB	40	12.16	446	378	344	0.0580
	F-788SG-WHP F-789SGA	ASA HB ASA HB	40	8.80 11.50	387	317 373	245 246	0.0300	ğ	표 AS-288R		ASA HB	40	7.35	344	337	308	0.0357
	LS-270V II-R	ASA HB	120	6.75	272	258	331	0.0232	DESKTOP	Š AS-2288R		ASA HB	40	11.53	435	385	348	0.0583
	LS-270V II-O	ASA HB	120	6.75	272	258	331	0.0232		\$ LS-120RS-S		ASA HB	60	10.01	330	311	384	0.0394
	LS-270V II-G	ASA HB	120	6.75	272	258	331	0.0232		HS-1200RS HS-1200RS-GD		EXP HB N ASA HB	40	10.80	446 446	428 428	316 316	0.0603
	LS-270V II-B	ASA HB	120	6.75	272	258	331	0.0232		WS-112H		ASA HB	40	6.93	348	329	279	0.0319
	LS-123T-PK	ASA HB	40	6.64	332	305	268	0.0270		WS-1212H		ASA HB	40	9.79	377	354	321	0.0428
	LS-123T-GR	ASA HB	40	6.64	332	305	268	0.0270		WS-2222		EMB HB N	40	12.36	425	415	346	0.0610
(O	LS-123T-BL	ASA HB	40	6.64	332	305	268	0.0270		WS-220TC		EMB HB	40	9.92	377	342	358	0.0462
SERIES	LS-123T-OR	ASA HB	40	6.64	332	305	268	0.0270		წ WS-240TC		EMB HB	40	9.80	377	342	358 358	0.0462
	AS-120V-PBL	ASA HB	40	6.76	371	337	268	0.0335		> WS-260TC WS-1210T		EMB HB	40	9.94	377 443	342 393	358	0.0462
OLOR	AS-120V-PPP	ASA HB	40	6.25	371	337	268	0.0335		WS-1410T		EMB HB	40	14.55	443	393	375	0.0653
100	AS-120V-PGY AS-120V-PPK	ASA HB ASA HB	40	6.25	371 371	337 337	268 268	0.0335		WS-1610T		EMB HB	40	14.55	443	393	375	0.0653
	AS-120V-PPR AS-120V-POR	ASA HB	40	6.25	371	337	268	0.0335		₩ KC-30		USA BL	80	5.54	413	385	260	0.0413
	AS-120V-LG	ASA HB	40	6.25	371	337	268	0.0335		± LS-270H W		EXP HB	120	9.50	482	238	272	0.0312
	LS-100T-WH	EMB HB	40	6.64	332	305	268	0.0270	ELD	LC-10-BK		ASA HB	240	8.27	422	256	265	0.0286
	LS-100T-RD	EMB HB	40	6.64	332	305	268	0.0270	HANDHE	LC-10-WH		ASA HB	240	8.27	422	256	265	0.0286
	LS-100T-GR	EMB HB	40	6.64	332	305	268	0.0270	H	LS-153TS		EXP HB	120	12.64	343	327	290	0.0325
	LS-100T-BL	EMB HB	40	6.64	332	305	268	0.0270		LS-12TC		EXP CP	40	8.40	489	309	415	0.0627
	AS-240	ASA HB	40	9.12	353	343	352	0.0426		⊉ LS-12H		ASA HB	80	8.90	415	275	206	0.0235
	AS-280	ASA HB	40	12.92	471	363	360	0.0616	TIMER									
	AS-8	ASA HB	80	5.20	385	252	182	0.0177	8 T	CT-40		ASA SB	120	10.01	579	272	290	0.0457
SERIES	AS-120	ASA HB	40	6.76	371	337	268	0.0335	CK	C1-40		ASA SB	120	10.01	3/9	212	290	0.0437
	AS-1200	ASA HB	40	9.70	464	369	296	0.0507	CLOCK									
ARC	AS-2222	ASA HB	40	11.40	431	363	348	0.0544		P1-DTSC		ASA HWB	20	11.60	599	377	288	0.0650
	AS-2200	ASA HB	40	12.20	446	378	344	0.0580		P23-DTSC		ASA HWB	12	12.56	607	272	412	0.0680
	AS-2400	ASA HB	40	11.86	446	378	344	0.0580		P1-DHV G		USA HWB	10	5.66	324	294	354	0.0340
	AS-2600	ASA HB	40	12.00	446	378	344	0.0580	N.	P23-DHV G		CHI HWB	12	10.26	574	259	406	0.0600
	LC-210Hi III-BL	ASA HB	80	5.06	385	252	182	0.0177	CALCULATO			CHITIWB	12	10.20	574	209	400	0.0000
	LC-210Hi III-OR	ASA HB	80	5.06	385	252	182	0.0177	JO.	MP120-MG-es		EMEA GB	4	6.24	433	252	394	0.0430
	LC-210Hi III-PP	ASA HB	80	5.06	385	252	182	0.0177	CAL	LER P								
	LS-88Hi III	ASA HB	80	10.00	323	315		0.0234	ING	MP121-MG-es		EMEA HWB	12	14.45	479	389	471	0.0880
							230		PRINTING									
	LS-88Hi III-PGR	ASA HB	80	9.40	323	315	428	0.0435	ā	MP1200-FTS		EXP GB	6	13.90	542	355	437	0.0841
ES	LS-88Hi III-PPP	ASA HB	80	9.40	323	315	428	0.0435		MP1211-LTSC		ASA GB	6	13.70	536	419	464	0.1042
Hi III SERIES	LS-88Hi III-PPK	ASA HB	80	9.40	323	315	428	0.0435		MP1411-LTSC		ASA GB	6	14.59	536	419	464	0.1042
=	LS-88Hi III-BK	ASA HB	80	9.40	323	315	428	0.0440		MP1611-LTSC-es		EMB GB	6	14.59	536	419	464	0.1042
T	LS-120Hi III	ASA HB	60	10.46	343	318	390	0.0425	ES	X MARK II-BK X MARK II-WH		EMEA HWB	40 40	11.45 11.45	517 517	331	305 305	0.0520
	LS-120Hi III-RD	ASA HB	60	10.46	343	318	390	0.0425	SERIE	X MARK I PRESENTER		EMEA HWB	40	9.21	449	247	366	0.0320
	LS-120Hi III-BW	ASA HB	60	10.46	343	318	390	0.0425	X SE	X MARK I PRINT-BK		EMEA HWB	10	8.64	359	269	341	0.0329
	LS-120Hi III-GR	ASA HB	60	10.46	343	318	390	0.0425		X MARK I PRINT-WH		EMEA HWB	10	8.64	359	269	341	0.0329
	TX-1210Hi III	ASA HB	40	11.25	412	404	333	0.0554	<	Poste se T								
	WS-1210Hi III	ASA HB	40	14.74	443	393	375	0.0653	<u>ר</u>	Package Type								
S	LC 15ATO		100			247					<						0	1
SERIES	LS-154TG	CAN HWB	120	16.52	435	347	404	0.0610				\forall						
GREEN SE	HS-20TG	CAN HWB	40	9.84	465	393	276	0.0504										
100000	TS-1200TG	CAN HWB	40	13.86	479	379	344	0.0625		Gift box (GB)	Hangable	e box (HB)	Hangable	window b	oox (HWB)		Blister (E	BL)
GRE	10 120010									10.4		. \		1 3		1.	12	
	KS-1220TG	ASA HB	40	9.27	394	221	286	0.0249								l f	\$14	6
DESKTOP GRE	KS-1220TG	ASA HB EMEA DBL	40	9.27 9.27	394 394	221	286	0.0249		100								

	Model	Product Code	Barcode
SCIENTIFIC	F-604 EXP HB	7102A002AA	4960999033570
	F-715SG-BK ASA HB	5730B019AA	4960999986524
	F-715SG-WHB ASA HB	5730B012AA	4960999810850
	F-715SG-WHM ASA HB	5730B011AA	4960999810843
	F-718S-BL ASA HB	4177B003AB	4960999658230
	F-788DX-GY ASA HB	9961A001AA	4960999250854
SC	F-788SG-NV ASA HB	6878B002AA	4960999919478
	F-788SG-BL ASA HB	6878B003AA	4960999989754
	F-788SG-WHP ASA HB	6878B004AA	4960999989761
	F-789SGA ASA HB	6467B004AA	4960999917276
	LS-270V II-R ASA HB	3181B006AA	4960999657493
	LS-270V II-O ASA HB	3181B007AA	4960999657509
	LS-270V II-G ASA HB	3181B005AA	4960999657486
	LS-270V II-B ASA HB	3181B008AA	4960999657516
	LS-123T-PK ASA HB	8107B001AA	4960999966489
	LS-123T-GR ASA HB	8107B002AA 496099996649	
	LS-123T-BL ASA HB	ASA HB 8107B003AA	
SH	LS-123T-OR ASA HB	8107B004AA	4960999966519
OR SERIES	AS-120V-PBL ASA HB	5476B003AA	4960999814339
LOR	AS-120V-PPP ASA HB	5476B007AA	4960999814377
100	AS-120V-PGY ASA HB	5476B005AA	4960999814353
	AS-120V-PPK ASA HB	5476B006AA	4960999814360
	AS-120V-POR ASA HB	5476B008AA	4960999814384
	AS-120V-LG ASA HB	5476B004AA	4960999814346
	LS-100T-WH EMB HB	0513C001AA	4549292036183
	LS-100T-RD EMB HB	0513C002AA	4549292036190
	LS-100T-GR EMB HB	0513C003AA	4549292036206
	LS-100T-BL EMB HB	0513C004AA	4549292036213
	AS-240	0213C001AA	4549292028492
	AS-280 AS-8 ASA HB	0214C001AA 4598B002AA	4549292042405 4960999676258
S	AS-120 ASA HB	4582B002AA	4960999673622
SERI	AS-1200 ASA HB	4599B002AA	4960999676272
RC	AS-2222 ASA HB	4586B002AA	4960999676296
< <	AS-2200 ASA HB	4584B002AA	4960999676289
	AS-2400 ASA HB	4585B003AA	4960999784021
	AS-2600 ASA HB	4997B002AA	4960999784038
	LC-210Hi III-BL ASA HB	4628B002AA	4960999674865
	LC-210Hi III-OR ASA HB	4628B003AA	4960999674902
	LC-210Hi III-PP ASA HB	4628B001AA	4960999674513
	LS-88Hi III ASA HB	4425B001AA	4960999665016
	LS-88Hi III-PGR ASA HB	4425B003AA	4960999814315
III SERIES	LS-88Hi III-PPP ASA HB	4425B004AA	4960999814322
	LS-88Hi III-PPK ASA HB	4425B002AA	4960999814285
	LS-88Hi III-BK ASA HB	4425B005AA	4960999994468
豆	LS-120Hi III ASA HB	4629B001AA	4960999674520
	LS-120Hi III-RD ASA HB	4629B002AA	4960999814391
	LS-120Hi III-BW ASA HB	4629B004AA	4960999814414
	LS-120Hi III-GR ASA HB	4629B003AA	4960999814407
	TX-1210Hi III ASA HB	4630B001AA	4960999674537
S	WS-1210Hi III ASA HB	4631B001AA	4960999674544
ERIE	LS-154TG CAN HWB	1075B002AA	013803091922
GREEN SERIES	HS-20TG CAN HWB	1074B007AA	013803091915
GRE	TS-1200TG CAN HWB	1072B004AB	013803091892
10P	KS-1220TG ASA HB	8994B001AA	4960999998848
DESKTOP	KS-1220TSG EMEA DBL	9405B001AA	4549292006476
	₽ BS-1220TG ASA HB	8995B001AA	4960999998855

		Model	Product Code	Barcode
	Economic use	LS-82Z EXP HB	4075A004AA	4960999044293
	& Econo	LS-102Z EXP HB	4076A004AA	4960999044323
	Basic 8	LS-101H J/B GB CHI	4068A001AA	4960999721651
	esn	LS-1200T-WH ASA HB	3221B003AA	4960999784007
		TS-120TS ASA HB	0374B005AA	4960999481159
	Office & Business	HS-1200TS EXP HB N	7438A016AA	4960999352442
	Office	LS-100TS EXP HB CHI	5936A004AA	4960999032115
		AS-120R ASA HB	4583B002AA	4960999676265
		AS-220RTS ASA HB	4898B002AA	4960999684109
	uo	AS-2200R ASA HB	9591B001AA	4549292012163
	Check & Correct Function	AS-288R ASA HB	0445C001AA	4549292034707
0P	Correct	AS-2288R ASA HB	0446C001AA	4549292034714
DESKTOF	Check 8	LS-120RS-S ASA HB	8289A010AA	4960999642031
ä		HS-1200RS EXP HB N	8288A006AA	4960999350738
		HS-1200RS-GD ASA HB	8288A011AA	4960999639505
		WS-112H ASA HB	0825B003AA	4960999355429
		WS-1212H ASA HB	0823B002AA	4960999355405
		WS-220TC EMB HB	1582B001AB	4960999399201
	sries	WS-240TC EMB HB	1583B001AA	4960999399218
	WS Series	WS-260TC EMB HB	1584B001AB	4960999399225
		WS-1210T EMB HB	0694B002AB	4960999291253
		WS-1410T EMB HB	0695B001AB	4960999291260
		WS-1610T EMB HB	0696B001AB	4960999291277
		WS-2222 EXP HB N	8290A007AA	4960999293097
HANDHELD	8-DIGIT	KC-30 USA BL	2291B001AA	013803083705
		LS-270H W EXP HB	5932A004AA	4960999110103
	10-DIGIT	LC-10-BK ASA HB	9728B001AA	4549292014723
		LC-10-WH ASA HB	9728B002AA	4549292014730
Ŧ		LS-153TS EXP HB	7838A001AA	4960999049458
	12-DIGIT	LS-12TC EXP CP	1556B001AA	4960999395821
	12-	LS-12H ASA HB	6876B003AA	4549292044096
CLOCK & TIMER	CT-4	IO ASA SB	8701B004AA	4549292014754
PRINTING CALCULATOR		P1-DTSC ASA HWB	2494B004AB	4960999784069
	AC/DC PRINTER	P23-DTSC ASA HWB	2495B002AB	4960999784076
	C/DC PI	P1-DHV G USA HWB	3832B001AA	013803111828
	4	P23-DHV G CHI HWB	3831B004AA	4897020131373
	INK ROLLER PRINTER	MP120-MG-es EMEA GB	8018B001AA	4960999571898
		MP121-MG-es EMEA HWB	8019B001AA	4960999571904
PR	TER	MP1200-FTS EXP GB	1539B001AB	4960999394770
	K RIBBON PRINTER	MP1211-LTSC ASA GB	2496B006AA	4960999970530
		MP1411-LTSC ASA GB	2497B003AA	4549292031430
	Ξ	MP1611-LTSC-es	9717B001AA	4549292014617
X SERIES	X MARK II-BK EMEA HWB		8339B001AA	4960999975221
	X MARK II-WH EMEA HWB		8339B002AA	4960999975238
	X MARK I PRESENTER EMEA HWB		7955B001AA	4960999922492
	X MARK I PRINT-BK EMEA HWB		4413B002AA	4960999665337
	X MARK I PRINT-WH EMEA HWB		4413B001AA	4960999664866

Glossary, Symbol guide & Canon subsidiaries

ALGEBRAIC OPERATING SYSTEM

Algebraic expressions can be entered just as they are written. A predetermined priority level exists which first calculates high priority then low priority operators e.g.: Multiplication and division completed prior to addition and subtraction i.e.: $4 + 6 \times 4 = 28$

ADDING MACHINE OPERATING SYSTEM

Also described as Business Machine Logic. Numbers entered need to be denoted whether they are positive (debits) or negative (credits). In general it is used with the printing

OPERATION KEY SWITCHES/ BUTTONS



Fixed

Results are calculated to a pre-selected number of decimal places e.g. 2, 3 or $\overset{\checkmark}{4}$ etc in accordance with the

Results are displayed and printed with no limit on decimal places except the capacity of the display.

Add Mode (+)

Decimal point placed before last two digits on display and printout. No decimal point entry is needed, therefore suitable for currency cash calculations.

Rounding Selection € 5/4 →

Rounding off (5/4)

Result of multiplication and division rounded to a whole number

e.g. 2.4 = 2 and 2.5 = 3

Rounding down (5/4 →)

Result reduced to nearest whole number e.g. 2.6=2

Rounding up (₹_5/4)

Result increased to nearest whole number



Item (OFF / n+ / n+/-)

Each addition and subtraction entry is counted and printed on the left side of the paper roll.

Entries or results automatically accumulated in the first

Constant

Performs multiplication and division calculations by a manual constant

FUNCTION KEY BUTTONS

BUSINESS CALCULATION



Performs cost, selling price and profit margin calculation. Enter to obtain the balance value item.

TAX CALCULATION



Adds or subtracts the predetermined sales tax rate (%) to/from the calculation.



Set switch to "RATE" for setting or recalling the TAX rate.

CURRENCY CONVERSION CALCULATION





Perform currency conversion if the corresponding rate

CHECK & CORRECT CALCULATION





Replay key allows for reviewing the previous or next calculation step.



Correct key allows for correcting calculation contents in the Replay mode.



Automatically scrolls through the calculation step from beginning to end.

BASIC FUNCTION KEYS



Performs standard percentages along with add on or discount calculations.



Mark up-selling price calculated based on the cost price and profit margin percentage. Mark down-cost price calculated from the selling price and profit (loss) margin



Reverse key automatically swaps the operator and operand of calculation

e.g. "8 \div 4" change to "4 \div 8".



When the calculations are performed with the GT switch set to "ON", the totals are accumulated in the grand total memory.



Used for changing the sign (+ or -) of the displayed

CANCEL KEYS



Clear indication key cancels the displayed numbers and corrects an entry as a whole.



Clear entry key cancels an incorrect entry.





Clear key cancels an incorrect entry or command and exercise must be restarted.



Shift key moves displayed numbers to the right thereby deleting numbers each time the key is pressed.

INDEPENDENT MEMORY KEYS

Accumulating / storing in memory



A. Results of multiplication and division automatically added to the memory. Also adds a number to the

AA x 4 included

VERSION Currency conversion

16-digit calculation capacity

2 color display



B. Results of multiplication and division automatically subtracted from the memory Also subtracts a number from the memory

DOUBLE MEMORY KEYS

Accumlatina / storina in memory I/II



Refer A & memory + I/ II



Refer B & memory + I/II

Recalling / clearing memory



Recalling the contents of the memory



Clearing the contents of the memory (for non-printing models).

PRINTING CALCULATOR KEYS



Used for calculating the change amount, it performs accurate and fast cash change calculation.



Non add key allows the printing of dates, reference numbers etc. to be printed on left side of the paper roll without affecting the calculation.



Sub total key allows intermediate result of a calculation. to be printed on the left side of paper roll.



This is the key for specifying the number of digits after the decimal point of the calculation result.



Paper Feed. Used for inserting the paper.



The print quality can be checked by pressing "TEST" key.



Used to switch between calendar or clock mode.

PRESENTER KEYS




Hold to point out the red laser beam

•

Start or end a presentation.



Perform the next animation or advance to the next slide.



Display a blank black slide, or return to the presentation from a blank black slide.

Specifications are subject to change without notice

Symbol guide



Internal angled LCD

GT Grand total function

Anti-bacterial



Solar powered only





2-line display













Battery only

TAX Tax calculation

14-digit calculation capacity

Textbook display

Check & correct function

2 color printing

Red laser pointer



Eco Recycled Canon product friendly materials



I.T. touch key

Wallet case

AC nowe

BACK Backlight

10-digit mantissa + 2-digit exporient display



Hard wallet case

Low battery indicator (AA / AAA type)

and statistical functions

Upright angle display

Mark-up calculation

Cash change function



8-digit calculation capacity

Adiustable display

Reverse function

Large display





Canon Subsidiaries (South East Asia Regional Headquarter):

Malaysia

Canon Marketing (Malaysia) Sdn. Bhd.

Block D, Peremba Square, Saujana Resort, Section U2, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia

Tel: (603) 7844 6000 Fax: (603) 7844 6048 Website: www.canon.com.my

Canon Calculator Authorized Distributors (South East Asia Region):

Indonesia, Surabaya PT GADING MURNI

Jl.Tunjungan 27 Surabaya 60275, Indonesia Tel: (031) 5353201 (hunting) Fax: (031) 5470176, 5315337

Vietnam

TIEN THOI COMPANY LIMITED

67/9 Cao Thang Street, Ward 3, District 3, Ho Chi Minh City, Vietnam Tel: (848) 7303 9441 Fax: (848) 7303 8441

Nepal

INTERNATIONAL ELECTRONICS CONCERN PVT. LTD

Kha 14, 1st Floor, Haratibhawan, Putalisadak, Ramshah Path, Kathmandu, Nepal. Tel: 977-1-4422107, 4421991 Fax: 977-1-4421909

ax. 311 1 44213

INTERHOUSE COMPANY

No.5-7, Bunut Jaya Complex, Spg.574, Jalan Tutong, Bandar Seri Begawan BF1320, Negara Brunei Darussalam Tel: (673) 2653 001(6 lines)

Fax: (673) 2653 001(6 lines

Cambodia

I-QLICK (CAMBODIA) PTE. LTD.

No. 142-146, Preah Sihanouk Boulevard, Phnom Penh, Kingdom of Cambodia Tel: +855(023) 996 638

Fax: +855(023) 996 639

<u>Pakistan</u>

CREST CORPORATION

708-710, Chapal Plaza, Hasrat Mohani Road, Karachi, 74000 Pakistan Tel: +92 (0) 21 246 1180 – 83 Fax: +92 (0) 21 242 7255

Mvanmar

MYANMAR GOLDEN ROCK INTERNATIONAL CO. LTD.

Unit 7-8, Aung San Stadium (South Wing), Mingalar Taung Nyunt Township, Yangon, Union of Myanmar

Tel: (95-1) 243036, 243037, 243038

Fax: (95-1) 249451

<u>Singapore</u>

DURALINK (S) PTE.LTD.

102F Pasir Panjang Road, #04-11, Citilink Warehouse Complex, Singapore 118530 Tel: +65 6376 0881, 6376 0882 Fax: +65 6376 0883

Sri Lanka

METROPOLITAN OFFICE PVT. LTD.

12, Magazine Road, Colombo 08, Sri Lanka

Tel: +94 11 2696183 Fax: +94 11 2685322

Canon Subsidiaries

Korea

Canon Korea Business Solutions Inc.

607, Teheran-ro, Gangnam-gu, Seoul, Korea Zip Code: 135-090 Tel: (82) 1588 2500

Fax: (82) 2851 0371

Website: www.canon-bs.co.kr

Hong Kong

Canon Hongkong Company Limited

19/F., The Metropolis Tower, 10 Metropolis Drive, Hung Hom, Kowloon, Hong Kong Tel: (852) 2170 2828

Fax: (852) 2723 9684 Website: www.canon.com.hk

Canon Calculator Authorized Distributors

Hong Kong

Broad Win Marketing Development Limited

Room 905, 9/F., Nan Fung Tower 173 Des Voeux Road, Central, Hong Kong Tel: (852) 2805 2566 Fax: (852) 2805 2569

Philippines

Solid Business Machines Center Inc.

Suite 303, Singson Building Plaza Moraga, Binondo Manila, Philippines Tel: (632) 242 1111

Fax: (632) 242 1345 / 242 1348 Website: www.solidmac.com.ph

<u>Thailand</u>

Welltech Group Co., Ltd

13/27, 13/28, Prasertmannukit Road, Nuanchan Bungkum, Bangkok 10230, Thailand Tel: (66) 2793 9000 Fax: (66) 2793 9099

Website: www.welltechgroup.co.th

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. Specifications are subject to change without notice. $^{\infty}$ and $^{\circ}$. All company and/ or product names are trademarks and/ or registered trademarks of their respective manufacturers in their markets and/ or countries.

CANON ELECTRONIC BUSINESS MACHINES (H.K.) CO., LTD.

17/F., Tower One, Ever Gain Plaza, 82-100 Container Port Road, Kwai Chung, New Territories, Hong Kong Website: www.canon-ebm.com.hk

